Suction Gun SP12 / SP14







Suction Gun SP10/SP14




The Suction Gun.. is ideal to effectively remove non-toxic particles and short chips. The suction air flow functions according to the Venturi principle: Compressed air passes a ring nozzle thus creating a vacuum within the suction tube. The incoming air conducts the particles and chips towards the exhaust air hose. Suction performance may be regulated infinitely via a hand lever.

Different brushes, nozzles and filters are available as an option. They allow the Suction Gun to be used flexibly in a wide variety of applications.

Two types of this Suction Gun are available:

SP 10 with a suction tube diameter of 10 mm and SP 14 with a suction tube of 14 mm.

Technical data



Pneumatic details		
Compressed air	filtered (particle size < 40 µm), oil free (residual oil < 1.5 mg/m³ at 24 °C)	
Compressed air connection	1/4"; 6 bar	
Compressed air (6 bar)	SP10	SP14
Connection	Inside diameter DN 10 mm	Inside diameter DN 10 mm
Consumption (at 1.013 bar and 20°C)	300 l/min	400 l/min
Suction capacity		
Vacuum	-350 mbar (35%)	-350 mbar (35%)
Suction volume flow	3001/min	6001/min
Acoustic emission	81 dB(A)	83 dB(A)
Weight	430 g	450 g
Suction tube Ø a	10 mm for particles Ø < 7 mm	14 mm for particles Ø < 9.5 mm

For dry or moist particles e.g. non-toxic dust or short chips during thread cutting




Order no.

10042707	Suction Gun SP 10
	suction tube \emptyset a = 10 mm. Connection for
	exhaust air with inside Ø DN 20 mm

10 18 010 Suction Gun SP 14 suction tube \emptyset a = 14 mm. Connection for exhaust air with inside \emptyset DN 20 mm

For dry, non-toxic particles and short metal chips



013-210 Suction Gun SP 10 WS with felt filter bag suction tube diameter a = 10 mm

O14-211 Suction Gun SP 14 WS with felt filter bag suction tube diameter a = 14 mm Including:

- felt filter bag with screw cap
- 0,3 m antistatic exhaust air hose, DN 20 mm

For dry, non-toxic particles and short metal chips



014-221 Suction Gun SP 14 MB 1.5

1.5 litre container with felt filter bag suction tube \emptyset a = 14 mm Including:

- 1.5 litre container with removable felt filter bag, support with mounting bracket for wall-assembly,
- 3 m off compressed air hose, DN 10 mm
- 3 m antistatic exhaust air hose, DN 20 mm

For moist particles e.g. short metal shavings during thread cutting



014-231 Suction Gun SP 14 MB 1.5

with 1.5 litre container and aerosol filter suction tube \emptyset a = 14 mm

Suction Gun SP 14 MB 1.5 with 1.5 litre container and fine filter for dry particles suction tube \emptyset a = 14 mm

Including:

- 1.5 litre container with removable filter housing, support with mounting bracket for wall-assembly,
- 3 m off compressed air hose, DN 10 mm
- 3 m of antistatic exhaust air hose, DN 20 mm

For moist particles e.g. short metal shavings during thread cutting



014-251 Suction Gun SP 14 MB 30 with

30 l container and two aerosol filters suction tube Ø a = 14 mm Including:

30 I container and two removable aerosol filters

- 3 m off compressed air hose, DN 10 mm
- 3 m antistatic exhaust air hose, DN 20 mm



